





Linienzahlanalyse 14




Linienzahlanalyse I5









1001





2001



3003



FixpunktstreckenKm 6,350 Steiglenoll




Nr. 1600 / 30



Nr. 1600 / 31

km 9,300 Rossgrabenbrücke



Nr. 1808/13



Nr. 1608/15



Nr. 1608/14

15ICS Computer Services  
TopICS Version 1.01  
POLYGONZUG

KISSLING & ZBINDEN - BERN  
6\_028

13/02/96  
15:12:40

BERECHNUNG DER POLYGONLINIE 2. Anzahl Punkte: 11

| Typ | Gemeinde | Plan | Nummer | Anschluss    | Bemerkungen |
|-----|----------|------|--------|--------------|-------------|
| 1   | 1        | 1    | 9285   | Orientierung |             |
| 1   | 1        | 1    | 1010   | -            |             |
| 1   | 1        | 1    | 1011   | -            |             |
| 1   | 1        | 1    | 1012   | -            |             |
| 1   | 1        | 1    | 1013   | -            |             |
| 1   | 1        | 1    | 1014   | -            |             |
| 1   | 1        | 1    | 1015   | -            |             |
| 1   | 1        | 1    | 1016   | -            |             |
| 1   | 1        | 1    | 1017   | -            |             |
| 1   | 1        | 1    | 1018   | -            |             |
| 1   | 1        | 1    | 9004   | Koordinaten  |             |

| Punktnummer |   |   |      | Horiz.Di.<br>Sequenz | Hohendiff. | dHz<br>Y   | X          | dV<br>H |
|-------------|---|---|------|----------------------|------------|------------|------------|---------|
| 1           | 1 | 1 | 9285 | 1                    |            | 594383.835 | 190387.082 | 592.125 |
|             |   |   |      | 204.908              | -5.340     |            |            |         |
|             |   |   |      | 204.907              | 5.337      | -0.003     |            | -0.005  |
|             |   |   |      | 204.905              | 5.335      |            |            |         |
| 1           | 1 | 1 | 1010 | 5                    |            |            |            |         |
|             |   |   |      | 210.292              | 1.364      |            |            |         |
|             |   |   |      | 210.288              | -1.366     | -0.007     |            | -0.004  |
|             |   |   |      | 210.285              | -1.368     |            |            |         |
| 1           | 1 | 1 | 1011 | 6                    |            |            |            |         |
|             |   |   |      | 214.942              | 3.272      |            |            |         |
|             |   |   |      | 214.939              | -3.278     | -0.005     |            | -0.012  |
|             |   |   |      | 214.937              | -3.284     |            |            |         |
| 1           | 1 | 1 | 1012 | 7                    |            |            |            |         |
|             |   |   |      | 88.899               | -1.231     |            |            |         |
|             |   |   |      | 88.902               | 1.226      | 0.007      |            | -0.011  |
|             |   |   |      | 88.906               | 1.220      |            |            |         |
| 1           | 1 | 1 | 1013 | 18                   |            |            |            |         |
|             |   |   |      | 167.224              | 3.801      |            |            |         |
|             |   |   |      | 167.229              | -3.791     | 0.009      |            | 0.021   |
|             |   |   |      | 167.233              | -3.781     |            |            |         |
| 1           | 1 | 1 | 1014 | 19                   |            |            |            |         |
|             |   |   |      | 27.913               | -0.134     |            |            |         |
|             |   |   |      | 27.914               | 0.129      | 0.001      |            | -0.009  |
|             |   |   |      | 27.914               | 0.124      |            |            |         |
| 1           | 1 | 1 | 1015 | 20                   |            |            |            |         |
|             |   |   |      | 189.371              | -0.767     |            |            |         |
|             |   |   |      | 189.375              | 0.760      | 0.008      |            | -0.015  |
|             |   |   |      | 189.379              | 0.752      |            |            |         |
| 1           | 1 | 1 | 1016 | 21                   |            |            |            |         |
|             |   |   |      | 161.625              | 2.357      |            |            |         |
|             |   |   |      | 161.628              | -2.364     | 0.007      |            | -0.013  |
|             |   |   |      | 161.631              | -2.370     |            |            |         |
| 1           | 1 | 1 | 1017 | 22                   |            |            |            |         |
|             |   |   |      | 197.325              | 2.528      |            |            |         |
|             |   |   |      | 197.324              | -2.530     | -0.003     |            | -0.004  |
|             |   |   |      | 197.322              | -2.532     |            |            |         |
| 1           | 1 | 1 | 1018 | 23                   |            |            |            |         |
|             |   |   |      | 140.835              | -0.537     |            |            |         |
|             |   |   |      | 140.835              | 0.538      | 0.000      |            | 0.003   |
|             |   |   |      | 140.835              | 0.539      |            |            |         |

ICS Computer Services  
TopICS Version 1.01  
POLYGONZUG

KISSLING & ZBINDEN - BERN  
6\_028

13/02/96  
15:12:40

|   |   |   |      |   |            |            |         |
|---|---|---|------|---|------------|------------|---------|
| 1 | 1 | 1 | 9004 | 8 | 595326.421 | 189991.960 | 597.477 |
|---|---|---|------|---|------------|------------|---------|

Orientierung der Station 1

| Station / Zielpkt. | Azimut | Richtung | Orient. | dHz | dS |
|--------------------|--------|----------|---------|-----|----|
|--------------------|--------|----------|---------|-----|----|

|   |   |   |      |  |          |  |
|---|---|---|------|--|----------|--|
| 1 | 1 | 1 | 9285 |  | 156.9449 |  |
|---|---|---|------|--|----------|--|

|   |   |   |      |          |         |          |        |       |
|---|---|---|------|----------|---------|----------|--------|-------|
| 1 | 1 | 1 | 9274 | 168.4449 | 11.5000 | 156.9449 | 0.0000 | 0.000 |
|---|---|---|------|----------|---------|----------|--------|-------|

Schlusswinkelfehler am Punkt 1: -0.0041

Schlusskoordinatenfehler Fs: 0.082

Schlusskoordinatenfehler Fy: 0.075

Schlusskoordinatenfehler Fx: -0.032

Schlusshoehefehler Fh: -0.013

| Typ | Gem. | Plan | Nummer | Klasse | Code | Y          | X          | H       |
|-----|------|------|--------|--------|------|------------|------------|---------|
| 1   | 1    | 1    | 1010   |        | 10   | 594573.978 | 190310.740 | 586.790 |
| 1   | 1    | 1    | 1011   |        | 10   | 594691.938 | 190136.663 | 588.158 |
| 1   | 1    | 1    | 1012   |        | 10   | 594881.890 | 190036.102 | 591.437 |
| 1   | 1    | 1    | 1013   |        | 10   | 594970.673 | 190040.637 | 590.212 |
| 1   | 1    | 1    | 1014   |        | 10   | 595074.618 | 190171.633 | 594.004 |
| 1   | 1    | 1    | 1015   |        | 10   | 595102.457 | 190173.648 | 593.875 |
| 1   | 1    | 1    | 1016   |        | 10   | 595195.629 | 190008.787 | 593.117 |
| 1   | 1    | 1    | 1017   |        | 10   | 595322.291 | 189908.399 | 595.482 |
| 1   | 1    | 1    | 1018   |        | 10   | 595450.699 | 190058.221 | 598.014 |

15ICS Computer Services KISSLING & ZBINDEN - BERN  
 TopICS Version 1.01 6\_028  
 POLYGONZUG

15/02/96  
 11:06:48

BERECHNUNG DER POLYGONLINIE 7. Anzahl Punkte: 49

| Typ | Gemeinde | Plan | Nummer | Anschluss    | Bemerkungen |
|-----|----------|------|--------|--------------|-------------|
| 1   | 1        | 1    | 1018   | Orientierung |             |
| 1   | 1        | 1    | 1019   | -            |             |
| 1   | 1        | 1    | 1020   | -            |             |
| 1   | 1        | 1    | 1021   | -            |             |
| 1   | 1        | 1    | 1022   | -            |             |
| 1   | 1        | 1    | 1023   | -            |             |
| 1   | 1        | 1    | 1024   | -            |             |
| 1   | 1        | 1    | 1025   | -            |             |
| 1   | 1        | 1    | 1026   | -            |             |
| 1   | 1        | 1    | 1027   | -            |             |
| 1   | 1        | 1    | 1028   | -            |             |
| 1   | 1        | 1    | 1029   | -            |             |
| 1   | 1        | 1    | 1030   | -            |             |
| 1   | 1        | 1    | 1031   | -            |             |
| 1   | 1        | 1    | 1032   | -            |             |
| 1   | 1        | 1    | 1033   | -            |             |
| 1   | 1        | 1    | 1034   | -            |             |
| 1   | 1        | 1    | 1035   | -            |             |
| 1   | 1        | 1    | 1036   | -            |             |
| 1   | 1        | 1    | 1037   | -            |             |
| 1   | 1        | 1    | 1038   | -            |             |
| 1   | 1        | 1    | 1039   | -            |             |
| 1   | 1        | 1    | 1040   | -            |             |
| 1   | 1        | 1    | 1041   | -            |             |
| 1   | 1        | 1    | 1042   | -            |             |
| 1   | 1        | 1    | 1043   | -            |             |
| 1   | 1        | 1    | 2000   | -            |             |
| 1   | 1        | 1    | 2001   | -            |             |
| 1   | 1        | 1    | 1044   | -            |             |
| 1   | 1        | 1    | 1045   | -            |             |
| 1   | 1        | 1    | 1046   | -            |             |
| 1   | 1        | 1    | 1047   | -            |             |
| 1   | 1        | 1    | 1048   | -            |             |
| 1   | 1        | 1    | 1049   | -            |             |
| 1   | 1        | 1    | 1050   | -            |             |
| 1   | 1        | 1    | 1051   | -            |             |
| 1   | 1        | 1    | 1052   | -            |             |
| 1   | 1        | 1    | 1053   | -            |             |
| 1   | 1        | 1    | 1054   | -            |             |
| 1   | 1        | 1    | 1055   | -            |             |
| 1   | 1        | 1    | 1056   | -            |             |
| 1   | 1        | 1    | 1057   | -            |             |
| 1   | 1        | 1    | 3000   | -            |             |
| 1   | 1        | 1    | 3001   | -            |             |
| 1   | 1        | 1    | 1058   | -            |             |
| 1   | 1        | 1    | 1059   | -            |             |
| 1   | 1        | 1    | 1060   | -            |             |
| 1   | 1        | 1    | 1061   | -            |             |
| 1   | 1        | 1    | 1062   | Koordinaten  |             |

| Punktnummer |   |   |      | Horiz.Di.<br>Sequenz | Hohendiff. | dHz<br>Y   | X          | dV<br>H |
|-------------|---|---|------|----------------------|------------|------------|------------|---------|
| 1           | 1 | 1 | 1018 | 23                   |            | 595450.699 | 190058.221 | 598.014 |
|             |   |   |      | 67.477               | 0.600      |            |            |         |

15ICS Computer Services  
TopICS Version 1.01  
POLYGONZUG

KISSLING & ZBINDEN - BERN  
6\_028

15/02/96  
10:40:28

BERECHNUNG DER POLYGONLINIE 6. Anzahl Punkte: 9

| Typ | Gemeinde | Plan | Nummer | Anschluss    | Bemerkungen |
|-----|----------|------|--------|--------------|-------------|
| 1   | 1        | 1    | 1070   | Orientierung |             |
| 1   | 1        | 1    | 1069   | -            |             |
| 1   | 1        | 1    | 1068   | -            |             |
| 1   | 1        | 1    | 1067   | -            |             |
| 1   | 1        | 1    | 1066   | -            |             |
| 1   | 1        | 1    | 1065   | -            |             |
| 1   | 1        | 1    | 1064   | -            |             |
| 1   | 1        | 1    | 1063   | -            |             |
| 1   | 1        | 1    | 1062   | -            |             |

| Punktnummer | Horiz.Di.<br>Sequenz | Hohendiff. | dHz<br>Y   | X          | dV<br>H |
|-------------|----------------------|------------|------------|------------|---------|
| 1 1 1 1070  | 81                   |            | 597431.491 | 184375.713 | 706.912 |
|             | 236.249              | -4.514     |            |            |         |
|             | 236.246              | 4.514      | -0.006     |            | 0.000   |
|             | 236.244              | 4.514      |            |            |         |
| 1 1 1 1069  | 80                   |            |            |            |         |
|             | 64.429               | -1.496     |            |            |         |
|             | 64.429               | 1.494      | 0.000      |            | -0.003  |
|             | 64.429               | 1.493      |            |            |         |
| 1 1 1 1068  | 79                   |            |            |            |         |
|             | 155.265              | -2.367     |            |            |         |
|             | 155.261              | 2.362      | -0.008     |            | -0.009  |
|             | 155.257              | 2.357      |            |            |         |
| 1 1 1 1067  | 78                   |            |            |            |         |
|             | 160.567              | -2.266     |            |            |         |
|             | 160.565              | 2.262      | -0.003     |            | -0.007  |
|             | 160.564              | 2.259      |            |            |         |
| 1 1 1 1066  | 77                   |            |            |            |         |
|             | 231.754              | -2.046     |            |            |         |
|             | 231.755              | 2.022      | 0.002      |            | -0.047  |
|             | 231.757              | 1.998      |            |            |         |
| 1 1 1 1065  | 76                   |            |            |            |         |
|             | 177.159              | -2.890     |            |            |         |
|             | 177.162              | 2.862      | 0.006      |            | -0.055  |
|             | 177.165              | 2.834      |            |            |         |
| 1 1 1 1064  | 75                   |            |            |            |         |
|             | 255.759              | -3.790     |            |            |         |
|             | 255.761              | 3.783      | 0.004      |            | -0.013  |
|             | 255.763              | 3.777      |            |            |         |
| 1 1 1 1063  | 74                   |            |            |            |         |
|             | 244.799              | -3.169     |            |            |         |
|             | 244.800              | 3.164      | 0.002      |            | -0.010  |
|             | 244.801              | 3.159      |            |            |         |
| 1 1 1 1062  | 73                   |            |            |            |         |

| Orientierung der Station |          |          | 1        |        |       |  |  |
|--------------------------|----------|----------|----------|--------|-------|--|--|
| Station / Zielpkt.       | Azimet   | Richtung | Orient.  | dHz    | dS    |  |  |
| 1 1 1 1070               |          |          | 259.5468 |        |       |  |  |
| 1 1 1 4545               | 194.6389 | 335.0920 | 259.5469 | 0.0001 | 0.000 |  |  |
| 1 1 1 1071               | 113.9808 | 254.4340 | 259.5468 | 0.0000 | 0.000 |  |  |

| Typ | Gem. | Plan | Nummer | Klasse | Code | Y          | X          | H       |
|-----|------|------|--------|--------|------|------------|------------|---------|
| 1   | 1    | 1    | 1069   |        | 10   | 597195.380 | 184367.702 | 702.398 |
| 1   | 1    | 1    | 1068   |        | 10   | 597131.314 | 184374.533 | 700.904 |
| 1   | 1    | 1    | 1067   |        | 10   | 596985.286 | 184427.276 | 698.542 |
| 1   | 1    | 1    | 1066   |        | 10   | 596827.945 | 184459.291 | 696.280 |
| 1   | 1    | 1    | 1065   |        | 10   | 596741.862 | 184674.466 | 694.258 |
| 1   | 1    | 1    | 1064   |        | 10   | 596767.878 | 184849.707 | 691.396 |
| 1   | 1    | 1    | 1063   |        | 10   | 596788.605 | 185104.627 | 687.613 |
| 1   | 1    | 1    | 1062   |        | 10   | 596912.827 | 185315.568 | 684.449 |

15ICS Computer Services  
TopICS Version 1.01  
POLYGONZUG

KISSLING & ZBINDEN - BERN  
6\_028

14/02/96  
09:02:32

BERECHNUNG DER POLYGONLINIE 5. Anzahl Punkte: 6

| Typ | Gemeinde | Plan | Nummer | Anschluss    | Bemerkungen |
|-----|----------|------|--------|--------------|-------------|
| 1   | 1        | 1    | 5605   | Orientierung |             |
| 1   | 1        | 1    | 1073   | -            |             |
| 1   | 1        | 1    | 1072   | -            |             |
| 1   | 1        | 1    | 1071   | -            |             |
| 1   | 1        | 1    | 1070   | -            |             |
| 1   | 1        | 1    | 4545   | Koordinaten  |             |

| Punktnummer | Horiz.Di.<br>Sequenz | Hohendiff. | dHz<br>Y   | X          | dV<br>H |
|-------------|----------------------|------------|------------|------------|---------|
| 1 1 1 5605  | 86                   |            | 597682.833 | 183898.937 | 716.555 |
|             | 22.775               | -1.263     |            |            |         |
|             | 22.770               | 1.260      | -0.009     |            | -0.006  |
|             | 22.766               | 1.258      |            |            |         |
| 1 1 1 1073  | 85                   |            |            |            |         |
|             | 220.263              | -0.121     |            |            |         |
|             | 220.264              | 0.125      | 0.003      |            | 0.008   |
|             | 220.266              | 0.129      |            |            |         |
| 1 1 1 1072  | 84                   |            |            |            |         |
|             | 240.098              | -4.996     |            |            |         |
|             | 240.094              | 5.001      | -0.009     |            | 0.009   |
|             | 240.089              | 5.005      |            |            |         |
| 1 1 1 1071  | 83                   |            |            |            |         |
|             | 201.552              | -3.252     |            |            |         |
|             | 201.547              | 3.253      | -0.009     |            | 0.001   |
|             | 201.542              | 3.253      |            |            |         |
| 1 1 1 1070  | 81                   |            |            |            |         |
|             | 75.675               | -0.415     |            |            |         |
|             | 75.675               | 0.415      | 0.000      |            | 0.001   |
|             | 75.675               | 0.416      |            |            |         |
| 1 1 1 4545  | 11                   |            | 597437.856 | 184300.306 | 706.497 |

| Station / Zielpkt. | Azimet   | Richtung | Orient.  | dHz    | dS    |
|--------------------|----------|----------|----------|--------|-------|
| 1 1 1 5605         |          |          | 133.9117 |        |       |
| 1 1 1 5606         | 201.7067 | 67.7950  | 133.9117 | 0.0000 | 0.000 |

Schlusswinkelfehler am Punkt 1: 0.0225

|                          |     |        |
|--------------------------|-----|--------|
| Schlusskoordinatenfehler | Fs: | 0.008  |
| Schlusskoordinatenfehler | Fy: | -0.004 |
| Schlusskoordinatenfehler | Fx: | 0.007  |

|                    |     |       |
|--------------------|-----|-------|
| Schlusshoehefehler | Fh: | 0.004 |
|--------------------|-----|-------|

| Typ | Gem. | Plan | Nummer | Klasse | Code | Y          | X          | H       |
|-----|------|------|--------|--------|------|------------|------------|---------|
| 1   | 1    | 1    | 1073   |        | 10   | 597703.820 | 183890.102 | 715.295 |
| 1   | 1    | 1    | 1072   |        | 10   | 597719.606 | 184109.798 | 715.168 |
| 1   | 1    | 1    | 1071   |        | 10   | 597628.196 | 184331.807 | 710.166 |

CS Computer Services  
TopICS Version 1.01  
POLYGONZUG

KISSLING & ZBINDEN - BERN  
6\_028

14/02/96  
09:02:32

|   |   |   |      |    |            |            |         |
|---|---|---|------|----|------------|------------|---------|
| 1 | 1 | 1 | 1070 | 10 | 597431.491 | 184375.713 | 706.912 |
|---|---|---|------|----|------------|------------|---------|

BERECHNUNG DER POLYGONLINIE 3. Anzahl Punkte: 13

| Typ | Gemeinde | Plan | Nummer | Anschluss    | Bemerkungen |
|-----|----------|------|--------|--------------|-------------|
| 1   | 1        | 1    | 5606   | Orientierung |             |
| 1   | 1        | 1    | 1074   | -            |             |
| 1   | 1        | 1    | 1075   | -            |             |
| 1   | 1        | 1    | 1076   | -            |             |
| 1   | 1        | 1    | 1077   | -            |             |
| 1   | 1        | 1    | 1078   | -            |             |
| 1   | 1        | 1    | 1079   | -            |             |
| 1   | 1        | 1    | 1080   | -            |             |
| 1   | 1        | 1    | 1081   | -            |             |
| 1   | 1        | 1    | 1082   | -            |             |
| 1   | 1        | 1    | 1083   | -            |             |
| 1   | 1        | 1    | 1084   | -            |             |
| 1   | 1        | 1    | 5603   | Orientierung |             |

| Punktnummer |   |   |      | Horiz.Di.<br>Sequenz | Hohendiff. | dHz<br>Y   | X          | dV<br>H |
|-------------|---|---|------|----------------------|------------|------------|------------|---------|
| 1           | 1 | 1 | 5606 | 87                   |            | 597677.510 | 183700.436 | 720.136 |
|             |   |   |      | 298.299              | 2.484      |            |            |         |
|             |   |   |      | 298.297              | -2.486     | -0.004     |            | -0.003  |
|             |   |   |      | 298.295              | -2.487     |            |            |         |
| 1           | 1 | 1 | 1074 | 88                   |            |            |            |         |
|             |   |   |      | 179.469              | 4.050      |            |            |         |
|             |   |   |      | 179.471              | -4.055     | 0.003      |            | -0.009  |
|             |   |   |      | 179.472              | -4.060     |            |            |         |
| 1           | 1 | 1 | 1075 | 89                   |            |            |            |         |
|             |   |   |      | 251.693              | 3.984      |            |            |         |
|             |   |   |      | 251.696              | -3.991     | 0.007      |            | -0.013  |
|             |   |   |      | 251.699              | -3.997     |            |            |         |
| 1           | 1 | 1 | 1076 | 90                   |            |            |            |         |
|             |   |   |      | 300.952              | 6.428      |            |            |         |
|             |   |   |      | 300.955              | -6.435     | 0.005      |            | -0.013  |
|             |   |   |      | 300.957              | -6.441     |            |            |         |
| 1           | 1 | 1 | 1077 | 91                   |            |            |            |         |
|             |   |   |      | 309.778              | 5.117      |            |            |         |
|             |   |   |      | 309.779              | -5.127     | 0.001      |            | -0.020  |
|             |   |   |      | 309.780              | -5.137     |            |            |         |
| 1           | 1 | 1 | 1078 | 92                   |            |            |            |         |
|             |   |   |      | 175.024              | 3.977      |            |            |         |
|             |   |   |      | 175.021              | -4.012     | -0.006     |            | -0.069  |
|             |   |   |      | 175.018              | -4.047     |            |            |         |
| 1           | 1 | 1 | 1079 | 93                   |            |            |            |         |
|             |   |   |      | 123.530              | 2.823      |            |            |         |
|             |   |   |      | 123.528              | -2.852     | -0.003     |            | -0.058  |
|             |   |   |      | 123.527              | -2.880     |            |            |         |
| 1           | 1 | 1 | 1080 | 94                   |            |            |            |         |
|             |   |   |      | 316.639              | 7.969      |            |            |         |
|             |   |   |      | 316.638              | -7.970     | -0.002     |            | -0.002  |
|             |   |   |      | 316.637              | -7.971     |            |            |         |
| 1           | 1 | 1 | 1081 | 95                   |            |            |            |         |
|             |   |   |      | 228.072              | 6.843      |            |            |         |
|             |   |   |      | 228.074              | -6.835     | 0.003      |            | 0.015   |
|             |   |   |      | 228.076              | -6.827     |            |            |         |
| 1           | 1 | 1 | 1082 | 96                   |            |            |            |         |
|             |   |   |      | 211.352              | 6.382      |            |            |         |

CS Computer Services  
TopICS Version 1.01  
POLYGONZUG

KISSLING & ZBINDEN - BERN  
6\_028

13/02/96  
15:49:19

|   |   |   |      |         |        |            |            |
|---|---|---|------|---------|--------|------------|------------|
|   |   |   |      | 211.354 | -6.386 | 0.006      | -0.009     |
|   |   |   |      | 211.357 | -6.391 |            |            |
| 1 | 1 | 1 | 1083 | 97      |        |            |            |
|   |   |   |      | 200.533 | 7.800  |            |            |
|   |   |   |      | 200.537 | -7.800 | 0.008      | 0.001      |
|   |   |   |      | 200.541 | -7.799 |            |            |
| 1 | 1 | 1 | 1084 | 98      |        |            |            |
|   |   |   |      | 144.792 | 5.407  |            |            |
|   |   |   |      | 144.791 | -5.407 | -0.002     | 0.000      |
|   |   |   |      | 144.790 | -5.407 |            |            |
| 1 | 1 | 1 | 5603 | 99      |        | 597588.469 | 181280.148 |
|   |   |   |      |         |        |            | 783.495    |

Orientierung der Station 1

| Station / Zielpkt. | Azimet | Richtung | Orient. | dHz    | dS    |
|--------------------|--------|----------|---------|--------|-------|
| 1 1 1 5606         |        |          | 11.1617 |        |       |
| 1 1 1 5605         | 1.7067 | 390.5450 | 11.1617 | 0.0000 | 0.000 |

Orientierung der Station 13

| Station / Zielpkt. | Azimet   | Richtung | Orient.  | dHz    | dS    |
|--------------------|----------|----------|----------|--------|-------|
| 1 1 1 5603         |          |          | 233.9521 |        |       |
| 1 1 1 1118         | 187.4251 | 353.4730 | 233.9521 | 0.0000 | 0.000 |

Schlusswinkelfehler am Punkt 13: 0.0134

Schlusskoordinatenfehler Fs: 0.438  
 Schlusskoordinatenfehler Fy: 0.338  
 Schlusskoordinatenfehler Fx: -0.278

Schlusshoehefehler Fh: -0.004

| Typ | Gem. | Plan | Nummer | Klasse | Code | Y          | X          | H       |
|-----|------|------|--------|--------|------|------------|------------|---------|
| 1   | 1    | 1    | 1074   |        | 10   | 597740.493 | 183408.902 | 722.622 |
| 1   | 1    | 1    | 1075   |        | 10   | 597643.388 | 183257.974 | 726.677 |
| 1   | 1    | 1    | 1076   |        | 10   | 597486.859 | 183060.872 | 730.668 |
| 1   | 1    | 1    | 1077   |        | 10   | 597330.915 | 182803.479 | 737.104 |
| 1   | 1    | 1    | 1078   |        | 10   | 597481.805 | 182532.986 | 742.232 |
| 1   | 1    | 1    | 1079   |        | 10   | 597546.859 | 182370.531 | 746.244 |
| 1   | 1    | 1    | 1080   |        | 10   | 597537.918 | 182247.338 | 749.095 |
| 1   | 1    | 1    | 1081   |        | 10   | 597483.949 | 181935.359 | 757.066 |
| 1   | 1    | 1    | 1082   |        | 10   | 597447.545 | 181710.227 | 763.901 |
| 1   | 1    | 1    | 1083   |        | 10   | 597427.118 | 181499.881 | 770.288 |
| 1   | 1    | 1    | 1084   |        | 10   | 597445.089 | 181300.173 | 778.088 |

15ICS Computer Services KISSLING & ZBINDEN - BERN  
 TopICS Version 1.01 6\_028  
 POLYGONZUG

13/02/96  
 16:07:33

BERECHNUNG DER POLYGONLINIE 4. Anzahl Punkte: 6

| Typ | Gemeinde | Plan | Nummer | Anschluss    | Bemerkungen |
|-----|----------|------|--------|--------------|-------------|
| 1   | 1        | 1    | 5603   | Orientierung |             |
| 1   | 1        | 1    | 1085   | -            |             |
| 1   | 1        | 1    | 1086   | -            |             |
| 1   | 1        | 1    | 1087   | -            |             |
| 1   | 1        | 1    | 1088   | -            |             |
| 1   | 1        | 1    | 1141   | Koordinaten  |             |

| Punktnummer | Horiz.Di. | Hohendiff. | dHz        | X          | dV      |
|-------------|-----------|------------|------------|------------|---------|
|             | Sequenz   |            | Y          |            | H       |
| 1 1 1 5603  | 99        |            | 597588.469 | 181280.148 | 783.495 |
|             | 159.314   | 1.579      |            |            |         |
|             | 159.318   | -1.578     | 0.007      |            | 0.001   |
|             | 159.321   | -1.577     |            |            |         |
| 1 1 1 1085  | 100       |            |            |            |         |
|             | 247.429   | 9.745      |            |            |         |
|             | 247.430   | -9.742     | 0.001      |            | 0.006   |
|             | 247.430   | -9.739     |            |            |         |
| 1 1 1 1086  | 101       |            |            |            |         |
|             | 149.556   | 5.828      |            |            |         |
|             | 149.555   | -5.833     | -0.001     |            | -0.012  |
|             | 149.555   | -5.839     |            |            |         |
| 1 1 1 1087  | 102       |            |            |            |         |
|             | 171.695   | 9.464      |            |            |         |
|             | 171.695   | -9.469     | 0.001      |            | -0.010  |
|             | 171.696   | -9.474     |            |            |         |
| 1 1 1 1088  | 103       |            |            |            |         |
|             | 79.841    | 6.753      |            |            |         |
|             | 79.841    | -6.753     | 0.000      |            | 0.001   |
|             | 79.841    | -6.752     |            |            |         |
| 1 1 1 1141  | 105       |            | 597967.927 | 180748.288 | 816.933 |

Orientierung der Station 1  
 Station / Zielpkt.

|            | Azimet   | Richtung | Orient.  | dHz    | dS    |
|------------|----------|----------|----------|--------|-------|
| 1 1 1 5603 |          |          | 233.9521 |        |       |
| 1 1 1 1118 | 187.4251 | 353.4730 | 233.9521 | 0.0000 | 0.000 |

Schlusswinkelfehler am Punkt 1: 0.0375

Schlusskoordinatenfehler Fs: 0.078  
 Schlusskoordinatenfehler Fy: 0.045  
 Schlusskoordinatenfehler Fx: -0.063  
 Schlusshoehefehler Fh: -0.063

| Typ | Gem. | Plan | Nummer | Klasse | Code | Y          | X          | H       |
|-----|------|------|--------|--------|------|------------|------------|---------|
| 1   | 1    | 1    | 1085   |        | 10   | 597742.325 | 181238.834 | 785.084 |
| 1   | 1    | 1    | 1086   |        | 10   | 597953.766 | 181110.369 | 794.853 |
| 1   | 1    | 1    | 1087   |        | 10   | 598039.270 | 180987.685 | 800.696 |

CS Computer Services  
TopICS Version 1.01  
POLYGONZUG

KISSLING & ZBINDEN - BERN  
6\_028

13/02/96  
16:07:33

|   |   |   |      |    |            |            |         |
|---|---|---|------|----|------------|------------|---------|
| 1 | 1 | 1 | 1088 | 10 | 598003.478 | 180819.773 | 810.178 |
|---|---|---|------|----|------------|------------|---------|